

Cone Bottom Tanks are selected when a more complete drain out of stored chemical is required in indoor or outdoor installations. Tanks require stands to support the conical bottoms. Tanks are manufactured from medium- or high-density polyethylene with UV stabilizers. Tank walls are translucent for level viewing and equipped with gallon indicators.

PART NUMBER	CAPACITY	WEIGHT	DIMENSIONS (DIA X HEIGHT)	OVERALL HEIGHT (INCLUDING STAND)	LID	FITTINGS	SPECIFIC GRAVITY
CB0150-36	150 GAL - 45°	63	36 X 51	63"	12"	2"	2.0
CB0200-42	200 GAL - 45°	77	42 X 55	67"	12"	2"	2.0
CBFD240-42	240 GAL - 45° FULL DRAIN	77	42 X 59	69"	12"	2"	2.0
CB0295-52	295 GAL - 45°	97	52 X 51	64"	12"	2"	1.7
CB0345-52	345 GAL - 45°	102	52 X 58	70"	12"	2"	2.0
CB0350-42	350 GAL - 45°	120	42 X 81	93"	12"	2"	2.0
CB0500-52	500 GAL - 45°	132	52 X 81	92"	12"	2"	2.0
CB0750-52	750 GAL - 45°	171	52 X 105	118"	12"	2"	1.7
CB0850-90	850 GAL - 15°	212	91 X 56	67"	16"	2"	1.7
CB1150-90	1150 GAL - 15°	242	91 X 67	78"	16"	2"	1.7
CB1550-90	1550 GAL - 30°	286	91 X 88	97"	16"	2"	1.7
CB2450-90	2450 GAL - 15°	437	91 X 114	125"	16"	2"	1.7
CB2550-90	2550 GAL - 30°	502	91 X 126	134"	16"	2"	1.7

CONE BOTTOM TANKS - FLAT TOP



PART NUMBER	CAPACITY	WEIGHT	DIMENSIONS (DIA X HEIGHT)	OVERALL HEIGHT (INCLUDING STAND)	LID	FITTINGS	SPECIFIC GRAVITY
CB0300-42	300 GAL - 45°	102	42 X 67	79"	16"	2"	2.0
CB0800-86	800 GAL - 15°	182	86 X 48	58"	16"	2"	1.7
CB1000-64	1000 GAL - 45°	252	64 X 98	112"	16"	2"	1.7
CB1000-90	1000 GAL - 15°	212	91 X 54	64"	16"	2"	1.7
CB1005-64	1005 GAL - 15°	222	64 X 86	105"	16"	2"	1.7
CB1200-90	1200 GAL - 15°	242	91 X 62	74"	16"	2"	1.7
CB1300-90	1300 GAL - 15°	262	91 X 65	75"	16"	2"	1.7
CB1490-64	1490 GAL - 45°	342	64 X 132	146"	16"	2"	1.7
CB1500-64	1500 GAL - 15°	332	64 X 122	141"	16"	2"	1.7
CB1500-96	1500 GAL - 30°	252	96 X 80	92"	16"	2"	1.7
CB1600-90	1600 GAL - 30°	286	91 X 85	94"	16"	2"	1.7
CB1700-86	1700 GAL - 15°	286	86 X 85	96"	16"	2"	1.7
CB2000-96	2000 GAL - 30°	292	96 X 96	108"	16"	2"	1.7
CB2495-90	2495 GAL - 30°	487	91 X 119	129"	16"	2"	1.7
CB2500-90	2500 GAL - 15°	437	91 X 111	122"	16"	2"	1.7
CB2600-90	2600 GAL - 30°	502	91 X 123	132"	16"	2"	1.7
CB2600-86	2600 GAL - 45°	502	86 X 146	158"	16"	2"	1.7
CB3000-90	3000 GAL - 15°	552	91 X 128	138"	16"	2"	1.7
CB3000-96	3000 GAL - 30°	552	96 X 125	137"	16"	2"	1.7
CB4200-122	4200 GAL - 15°	1102	122 X 113	126"	16"	3"	1.7
CB4600-102	4600 GAL - 15°	1202	102 X 155	166"	16"	2"	1.7
CB4900-102	4900 GAL - 15°	1302	102 X 159	170"	16"	2"	1.7
CB6000-122	6000 GAL - 15°	1602	122 X 150	162"	16"	3"	1.7
CB6900-122	6900 GAL - 15°	1702	122 X 168	178"	16"	3"	1.7
CB7500-142	7500 GAL - 15°	1677	142 X 143	163"	16"	3"	1.7
CB8250-122	8250 GAL - 15°	2102	122 X 195	206"	16"	3"	1.7
CB10500-142	10500 GAL - 15°	2502	142 X 187	209"	16"	3"	1.7
CB12500-142	12500 GAL - 15°	3402	142 X 216	239"	16"	3"	1.7

CONE BOTTOM TANKS - DOME TOP



PART NUMBER	DESCRIPTION	WEIGHT	DIMENSIONS (DIA X HEIGHT)	OVERALL HEIGHT	FITTINGS	SPECIFIC GRAVITY
OC0840-90	840 GAL – 15°	214	91 X 49	61"	2"	1.7
OC1010-64	1010 GAL – 45°	252	64 X 99	113"	2"	1.7
OC1050-90	1050 GAL – 15°	242	91 X 57	69"	2"	1.7
OC1150-90	1150 GAL – 15°	262	91 X 60	72"	2"	1.7
OC1450-90	1450 GAL – 30°	286	91 X 79	89"	2"	1.7
OC1500-64	1500 GAL – 45°	342	64 X 134	147"	2"	1.7
OC1710-86	1710 GAL – 15°	286	86 X 87	98"	2"	1.7
OC2350-90	2350 GAL – 15°	437	91 X 106	118"	2"	1.7
OC2440-90	2440 GAL – 30°	502	91 X 117	127"	2"	1.7
OC2610-86	2610 GAL – 45°	502	86 X 147	158"	2"	1.7

Open Top Tanks are selected for collection systems, temporary liquid storage or as secondary containment for tanks in indoor or outdoor stationary installations. Tanks require stands to support the conical bottoms. Tanks are manufactured from medium or high-density polyethylene with UV stabilizers. Tank walls are translucent for level viewing and equipped with gallon indicators.

