

Vertical Tanks are free standing with a flat bottom for indoor or outdoor installations. Tanks are manufactured from medium or high-density polyethylene with UV stabilizers. Tank walls are translucent for level viewing and equipped with gallon indicators. Please consult the factory regarding approved colors.



VERTICAL TANKS - DOME TOP

PART NUMBER	CAPACITY	WEIGHT	DIMENSIONS (DIA X HEIGHT)	LID	FITTING	SPECIFIC GRAVITY
VT0010-12†	10 GAL	9	12 X 25	8"	3/4"	2.0
VT0020-16†	20 GAL	15	16 X 28	8"	3/4"	2.0
VT0025-18†	25 GAL	14	18 X 30	5"	3/4"	2.0
VT0040-18†	40 GAL	19	18 X 43	5"	3/4"	2.0
VT0055-20†	55 GAL	23	20 X 47	5"	1"	2.0
VT0065-23†	65 GAL	27	23 X 42	5"	1"	2.0
VT0110-32	110 GAL	42	32 X 41	5"	2" TOP	2.0
VT0135-23	135 GAL	47	23 X 82	16"	1"	2.0
VT0300-42	300 GAL	74	42 X 55	8"	2"	2.0
VT0405-52	405 GAL	92	52 X 48	8"	2"	2.0
VT0425-42	425 GAL	102	42 X 75	8"	2"	2.0
VT0505-46	505 GAL	120	46 X 80	16"	2"	2.0
VT0550-52	550 GAL	118	52 X 66	8"	2"	2.0
VT0600-46	600 GAL	132	46 X 91	16"	2"	2.0
VT0625-64	625 GAL	102	64 X 50	8"	2"	2.0
VT0800-46	800 GAL	177	46 X 118	16"	2"	1.7
VT0900-46	900 GAL	222	46 X 132	16"	2"	1.7
VT1000-64	1000 GAL	252	64 X 81	16"	2"	1.7
VT1050-86	1050 GAL	192	86 X 54	16"	2"	1.7
VT1200-64	1200 GAL	277	64 X 97	16"	2"	1.7
VT1350-86	1350 GAL	230	86 X 65	16"	2"	1.7
VT1500-64	1500 GAL	337	64 X 115	16"	2"	1.7
VT1500-86	1500 GAL	252	86 X 69	16"	2"	1.7
VT1525-64	1525 GAL	352	64 X 122	16"	2"	1.7
VT1650-86	1650 GAL	280	86 X 74	16"	2"	1.7
VT2000-64	2000 GAL	467	64 X 156	16"	2"	1.7
VT2000-90	2000 GAL	377	91 X 84	16"	2"	1.7
VT2050-86	2050 GAL	402	86 X 93	16"	2"	1.7
VT2150-102	2150 GAL	417	102 X 71	16"	2"	1.7
VT2500-90	2500 GAL	422	91 X 103	16"	2"	1.7
VT2500-96	2500 GAL	445	96 X 92	16"	2"	1.7
VT3000-90	3000 GAL	552	91 X 120	16"	2"	1.7
VT3000-96	3000 GAL	582	96 X 109	16"	2"	1.7
VT3100-102*	3100 GAL	552	102 X 103	16"	2"	1.7
VT3400-102*	3400 GAL	587	102 X 107	16"	2"	1.7
VT4000-96*	4000 GAL	902	96 X 140	16"	2"	1.7
VT4200-96*	4200 GAL	952	96 X 148	16"	2"	1.7
VT4995-142*	4995 GAL	952	142 X 90	16"	3"	1.7
VT5000-102*	5000 GAL	1302	102 X 156	16"	3"	1.7
VT5150-102*	5150 GAL	1352	102 X 161	16"	3"	1.7
VT6250-102*	6250 GAL	1552	102 X 194	16"	3"	1.7
VT6500-120*	6500 GAL	1502	120 X 152	16"	3"	1.7
VT7000-142*	7000 GAL	1752	142 X 125	16"	3"	1.7
VT7800-120*	7800 GAL	1902	120 X 176	16"	3"	1.7
VT8000-120*	8000 GAL	1932	120 X 180	16"	3"	1.7
VT9000-142*	9000 GAL	2002	142 X 154	16"	3"	1.7
VT9150-120*	9150 GAL	2202	120 X 203	16"	3"	1.7
VT9500-120*	9500 GAL	2352	120 X 213	16"	3"	1.7
VT10500-2500*	10,500 GAL	2502	142 X 177	16"	3"	1.6
VT10500-2800*	10,500 GAL	2802	142 X 177	16"	3"	1.8
VT12500-142*	12,500 GAL	3402	142 X 208	16"	3"	1.7
VT15500-142*	15,500 GAL	4002	142 X 247	16"	3"	1.7

PART NUMBER	CAPACITY	WEIGHT	DIMENSIONS (DIA X HEIGHT)	LID	FITTINGS	SPECIFIC GRAVITY
VT0075-23†	75 GAL	30	23 X 50	7"	1"	2.0
VT0100-28†	100 GAL	38	28 X 45	7"	1"	2.0
VT0105-23†	105 GAL	40	23 X 65	7"	1"	2.0
VT0130-32	130 GAL	47	32 X 46	8"	1"	2.0
VT0135-28	135 GAL	47	28 X 59	8"	1"	2.0
VT0160-28	160 GAL	58	28 X 68	8"	1"	2.0
VT0175-31	175 GAL	56	31 X 61	8"	1 1/2"	2.0
VT0180-40	180 GAL	50	40 X 45	5"	2" TOP	2.0
VT0210-40	210 GAL	58	40 X 49	5"	2" TOP	2.0
VT0225-31	225 GAL	67	31 X 76	8"	1 1/2"	2.0
VT0265-31	265 GAL	76	31 X 88	8"	1 1/2"	2.0
VT0295-42	295 GAL	74	42 X 55	16"	2"	2.0
VT0300-35	300 GAL	88	35 X 81	8"	2"	2.0
VT0420-42	420 GAL	102	42 X 75	16"	2"	2.0
VT0500-46	500 GAL	120	46 X 77	8"	2"	2.0
VT0850-54	850 GAL	184	54 X 94	8"	2"	1.7



VERTICAL TANKS - FLAT TOP

PART NUMBER	CAPACITY	WEIGHT	DIMENSIONS (DIA X HEIGHT)	LID	FITTINGS	SPECIFIC GRAVITY
GV1050-86	1050 GAL	177	86 X 50	16"	2"	1.5
GV1350-86	1350 GAL	209	86 X 62	16"	2"	1.5
GV1500-86	1500 GAL	230	86 X 69	16"	2"	1.5
GV1650-86	1650 GAL	257	86 X 74	16"	2"	1.5
GV4995-142	4995 GAL	952	142 X 97	16"	3"	1.7
GV7000-142	7000 GAL	1752	142 X 127	16"	3"	1.7
GV10500-2500	10500 GAL	2502	142 X 179	16"	3"	1.5
GV10500-2800	10500 GAL	2802	142 X 179	16"	3"	1.7
GV12500-142	12500 GAL	3402	142 X 208	16"	3"	1.7
GV15500-142	15500 GAL	4002	142 X 253	16"	3"	1.7



GUSSETED TANKS

Gusseted Top Vertical Tanks are free standing with a flat bottom for indoor or outdoor installations. Tanks are manufactured from medium-density polyethylene with UV stabilizers and designed for containment of liquids. Tank walls are translucent for level viewing and equipped with gallon indicators.

WATER TANKS

RTS Model #	RTS Model #	Sidewall Capacity	Brimful Capacity	Dimensions in inches
		(IG / US G / Litres)	(IG / US G / Litres)	
Vertical Closed Top Tanks				
1070-12223A-37-00	VST-25 AG	* 22 / 25 / 100	-	22" x 23"
1070-12239A-37-00	VST-50 AG	* 44 / 50 / 200	-	22" x 39"
1070-12255A-37-00	VST-80 AG	* 66 / 80 / 300	-	22" x 55"
1070-12648A-37-00	VST-105 AG	* 88 / 105 / 400	-	26" x 48"
1070-34625A-37-00	VST-150 AG PU	† 125 / 150 / 570	-	46" x 25"
1070-34648A-37-00	VST-300 AG PU	† 250 / 300 / 1135	-	46" x 46"
1070-34662A-37-00	VST-400 AG	350 / 400 / 1590	-	46" x 62"
1070-35862A-37-00	VST-600 AG	† 500 / 600 / 2275	-	58" x 63"
1070-38070A-37-00	VST-1250 AG	† 1050 / 1260 / 4775	1183/ 1420	80" x 70"
1070-38079A-37-00	VST-1575 AG	† 1180 / 1400 / 5970	1313/ 1577	80" x 79"
1070-38679A-37-00	VST-1775 AG	† 1360 / 1635 / 6770	1480/ 1775	86" x 79"
1860-12434A-37-00	DSPT-50 I.G.	£		24" x 34"
1860-12450A-37-00	DSPT-80 I.G.	£		24" x 50"
1860-13050A-37-00	DSPT-125 I.G.	£		30" x 50"
1860-13070A-37-00	DSPT-175 I.G.	£		30" x 70"
1850-02401T-80-00	24" Disp Tank Stand			24" x 21"
1850-03001T-80-00	30" Disp Tank Stand			30" x 21"
2999-000009	Fruit Bin Liner	APL-150AG	see drawing	49" x 41" x 24"
5025-00100A-xx-00	Storage Box	Storage box w/hinged lid		29" H x 52" W x 23" D

* Complete with 6" screw cap/gasket, calibration (Litre/US Gallon) and 1-1" bulkhead connection

† Complete with 16" manway, calibration (Litre/Imp/US Gallon) and 1-2" bulkhead connection/siphon £

Complete with 1" bulkhead & 6" Cap w/EPDM Gasket

VERTICAL CLOSED TOP TANKS

RTS Model #	RTS Model #	Sidewall Capacity	Brimful Capacity	Dimensions in inches
		(IG / US G / Litres)	(IG / US G / Litres)	
1075-12223A-00-00	VST-25 AG	* 22 / 25 / 100	-	22" x 23"
1075-12239A-00-00	VST-50 AG	* 44 / 50 / 200	-	22" x 39"
1075-12255A-00-00	VST-80 AG	* 66 / 80 / 300	-	22" x 55"
1075-12648A-00-00	VST-105 AG	* 88 / 105 / 400	-	26" x 48"
1075-34625A-00-00	VST-150 AG PU	† 125 / 150 / 570	-	46" x 25"
1075-13070A-00-00	VST-210 AG	* 175 / 210 / 796	-	30" x 70"
1075-34648A-00-00	VST-300 AG PU	† 250 / 300 / 1135	-	46" x 46"
1075-34662A-00-00	VST-400 AG	350 / 400 / 1590	-	46" x 62"
1075-35862A-00-00	VST-600 AG	† 500 / 600 / 2275	-	58" x 63"
1075-38070A-00-00	VST-1250 AG	† 1050 / 1260 / 4775	1183 / 1420	80" x 70"
1075-38079A-00-00	VST-1575 AG	† 1180 / 1400 / 5970	1313 / 1577	80" x 79"
1075-38679A-00-00	VST-1775 AG	† 1360 / 1635 / 6770	1480 / 1775	86" x 79"
1075-90100A-00-00	VST-2000 NAT	** 2000 / 2500 / 9400		90" x 100"
1075-90100A-37-00	VST-2000 TOB	** 2000 / 2500 / 9400		90" x 100"
1075-90100A-80-00	VST-2000 BLK	** 2000 / 2500 / 9400		90" x 100"
1075-90121A-00-00	VST-2500 NAT	** 2500 / 3000 / 11350		90" x 121"
1075-90121A-37-00	VST-2500 TOB	** 2500 / 3000 / 11350		90" x 121"
1075-90121A-80-00	VST-2500 BLK	** 2500 / 3000 / 11350		90" x 121"
1079-90121A-00-00	VST-2500 HD NAT	** 2500 / 3000 / 11350		90" x 121"
1079-90121A-37-00	VST-2500 HD TOB	** 2500 / 3000 / 11350		90" x 121"
1079-90121A-80-00	VST-2500 HD BLK	** 2500 / 3000 / 11350		90" x 121"
1865-12434A-00-00	DSPT-50 I.G.	£		24" x 34"
1865-12450A-00-00	DSPT-80 I.G.	£		24" x 50"
1865-13050A-00-00	DSPT-125 I.G.	£		30" x 50"
1865-13070A-00-00	DSPT-175 I.G.	£		30" x 70"
1850-02401T-80-00	24" Disp Tank Stand			24" x 21"
1850-03001T-80-00	30" Disp Tank Stand			30" x 21"
1091-13444A-00-00	HLT-130			30" x 49" x 35"
1091-13476A-00-00	HLT-250			38" x 72" x 42"
1049-47414T-00-00	Fruit Bin Liner	APL-150AG	see drawing	49" x 41" x 24"
5025-00100A-xx-00	Storage Box	Storage box w/hinged lid		29" H x 52" W x 23" D

* Complete with 6" screw cap/gasket, calibration (Litre/US Gallon) and 1-1" bulkhead connection

† Complete with 16" manway, calibraon (Litre/Imp/US Gallon) and 1-2" bulkhead connecon/siphon £

Complete with 1" bulkhead & 6" Cap w/EPDM Gasket

** Complete with 3" fitting, internal siphon, 3" to 2" reducing bushing and 2" poly plug

Note: The above tanks are manufactured using FDA natural white resin and are suitable for potable water

RTS HORIZONTAL COMMERCIAL TANKS

RTS Model #	RTS Model #	Sidewall Capacity	Brimful Capacity	Dimensions in inches
HLT-25	1225-00030B-0015	25/30/114	-	23X20X26"
HLT-50	1225-00060B-0015	50/60/227	-	23X39X25
HLT-130	1095-13444A-0000	* 130/156/591	-	30X49X35
HLT-200	1225-00230B-0015	200/240/909	-	38X52X43
HLT-250	1095-13476A-0000	† 250/300/1137	-	38X72X42
HLT-440	1225-00525B-0015	440/528/2000	-	48X75X53
HLT-600	1225-00730B-0015	600/720/2728	-	54X80X58
HLT-850	1225-01025B-0015	850/1020/3864	-	48X138X48
HLT-1660	1225-001660-0015 HLT-	1660/1992/7546	-	84X142X55
2000	1225-02600B-0015 HLT-	2000/2400/9092	-	82X155X70
2500	1225-03000B-0015	2500/3000/11300	-	92X142X76

* Complete with 1" fitting and 6" lid with EPDM

† Complete with 2" fing and 6" lid with EPDM gasket